# Index to the *User News*

## Volume 1, Number 1 (August 1980) through Volume 21, Number 6 (Nov/Dec 2000)

**The index lists *User News* volumes, issues, and page numbers as follows: title of the article, program version that was current when the article appeared, volume number, issue number, and page number. Current and recent issues of the newsletter are available as PDF files on the Simulation Research Group website at http://SimulationResearch.lbl.gov > Newsletter. All back issues are available free of charge. Email requests to klellington@lbl.gov.**


**ADELINE Program**
ADELINE 1.0...16:3,6
ADELINE 2.0...17:4,36-39

**ADVANCED SIMULATION**
Advanced Simulation (2.1C)...7:4,4-8
BestOf Program ... see EnergyPlus Program
Calling all Simulation Educators ... 21:4,9
DOE-2 and the Next Generation (2.1C)...6:4,1-2
EnergyBase ... see EnergyPlus Program
IBPSA (2.1C)...8:2,4-7
IBPSA Conferences
93 Abstracts...14:3,13, 14:4,15
97 Call for Papers...17:1,15, 17:3, 13
SPARK ... see SPARK Program
USDOE Launches High-Performance Building Project ... 21:4,10

**BEST Program (Canada)**
BEST: B.C. Hydro's Interface to DOE-2…18:2,10-16

**BestOf Program** see **EnergyPlus**

**BinMaker Program**
BinMaker from GRI ...19:2,24

**BLAST**
Atmospheric Pollution Prediction in BLAST...18:3,4-11
BLAST...17:1,31
Combining the BLAST Loads / Systems Simulations through the Zone Heat Balance Equation..17:2,30-35
DOE-2 and BLAST Unite!...16:4,1
HBLC...17:1,31; 19:3,6-7
Heat Balance Method of Calculating Building Heating and Cooling Loads...17:1,32-35
Improved Procedures for Calibrating Hourly Simulation Models..18:1,25-30
Integrating the BLAST Fan System and Central Plants Using a Simple Model of the Fluid Loops ...17:4,1-5
Use of Multiple Time-Steps in IBLAST...17:3,30-31
WinLCCID 96 ...16:4,5
WinLCCID 98 ... 19:3,8

**BLAST/DOE-2 Combined Program** see **EnergyPlus**

**BLUEPRINT,** Newsletter... 21:4,13

**BUGS, DOE-2**
in DOE-2.1
About bugs...1:1,3
BDL...1:1,4-6; 1:2,6
LOADS...1:1,6
SYSTEMS...1:1,7; 1:2,7-8
PLANT...1:1,9-10; 1:2,8
Weather...1:2,6
in DOE-2.1A
All bugs...3:4,3-6
BDL...2:1,3-6; 2:2,9-10; 2:3,5;3:1,9-10; 3:1,13; 3:3,3
LOADS...2:1,7; 2:3,5; 3:1,10
SYSTEMS...2:1,8-12; 2:2,10-11; 2:3,5;3:1,10-12; 3:2,5; 3:3,3
PLANT...2:1,12-14; 2:3,5; 3:1,12
ECON...2:2,11
Weather...2:1,6
in DOE-2.1B
All bugs...5:4,3-6
BDL...4:4,5; 5:1,4
LOADS...4:4,6; 5:1,5
PLANT...4:4,6; 5:1,5
SYSTEMS...4:4,6; 5:1,5
Weather...4:4,6; 5:1,5
in DOE-2.1C
All bugs...9:3,4-16
BDL...7:1,9-33; 9:1,4; 9:2,2
ECON...7:1,9-33
LOADS...7:1,9-33; 7:3,13-14; 8:1,6; 8:4,5
PLANT...7:1,9-33; 8:4,6
Reports...7:1,9-33; 8:1,6
SYSTEMS...7:1,9-33; 8:4,4-5; 9:1,3-5
Weather...7:1,9-33; 8:2,3
in DOE-2.1D
BDL...11:1,5;11:3,17,20
LOADS...11:3,11,17,19
PLANT...11:3,12
Reports...11:3,17,20
SYSTEMS...11:3,11-15,21-23
in DOE-2.1E
BDL...15:3,8,10,12; 15:4,7
DKEY...15:3,8,11
DRLC...15:3,8
LOADS...15:3,9,10; 15:4,7
PLANT...15:3,11
SIM...15:3,10
SYSTEMS...15:3,8,10,11,12; 15:4,6
WTH...15:4,6

**BUILDING DESIGN ADVISOR (BDA) Program**
Beta 1 Release…19:1,29; 19:3,2-3
Beta 2 Release...21:2,7; 21:3,9

**BUILDING SIMULATION**
"BLDG SIM" mailing list ... 20:1,14
Newsletter Round-Up ... 21:1,2
Pacific Gas & Electric's HVAC Educational Programs ... 20:3,24

**CIRA Program**
CIRA (2.1A)...3:2,2

**COMIS Program**
COMIS: The Multizone Air Flow and Contaminant Transport Model for EnergyPlus ... 19:4, 8-15

**CoolTools**
CoolTools from PG&E ... 20:2,8-9

**DAYLIGHTING**
Glazing Optimization Study (2.1A)...3:3,4-5
Daylighting Design Tool Survey ...11:2,12-17; 12:3,19-24; 14:2,2-8
Daylighting Dimming & Energy Savings (2.1E)... 17:1,7-14
Daylighting Network of North America (2.1C)... 6:1,1-2
Daylighting w/ Multiple Skylights (2.1D)...13:2,2-5
Modeling Complex Daylighting (2.1C)...11:1,6-15
Orientation Info for Exterior Walls (2.1E)…19:1,21
Optimizing Solar Control in a Commercial Building (2.1D)...14:1,16
Seeing Daylight in So. Calif. (2.1C)...6:3,1
Spectrally Selective Glazings in Cooling-Dominated Climates (2.1D)...14:2,16
Sunspace/Atrium Model in 2.1C...5:4,1-2
SUPERLITE (2.1C)...8:2,1
Switchable Window Modeling (2.1D)... 14:3,12

**DesiCalc Program**
DesiCalc from GRI...19:2,15

**Desktop RADIANCE Program**
Desktop RADIANCE ... 20:3,7; 21:3,3-6

**DOCUMENTATION, DOE-2, through version 2.1E**
BASIC Manual...12:3,1,28-29
Plant...12:4,10
System type: HP...11:1,21-22
System type: PIU...11:1,16-20
System type: PMZS...11:2,5-7
System type: PSZ...11:2,2-4
System type: PTAC...11:3,2-4
System type: PVAVS...11:2,8-10
System type: RESYS...11:3,8-10
System type: SZRH...10:4,2-5
System type: TPFC...11:3,5-7
System type: VAVS...11:1,23-25
BDL Summary...1:1,11-14; 1:2,9-12; 2:1,15; 4:4,3;6:4,4; 9:4,2-3; 11:3,1,27; 12:1,21-24; 12:2,51
Engineers Manual...7:1,7-8; 13:2,6-14
Update--Gas Heat Pump Calcs (2.1D)...14:3,9-11
Reference Manual..1:1,11-14; 2:1,16-20,4:1,4; 4:4,3; 5:1,3; 5:4,7
Weather Processor (rewrite) ... 20:1,insert
Sample Run Book...1:1,11-14; 8:3,5; 9:4,2-3
Supplement...4:4,3; 5:1,3; 6:4,4; 11:4,2-3; 12:3,1,31; 13:3,16
Loads: Negative Time Zone Bug (PC) (2.1D)...14:1,15
Users Guide...1:1,11-14; 2:1,16
Weather Processor (rewrite) ... 20:1,insert

**DOE-2 (general topics)**
Analyze DOE-2 Outputs Quickly (2.1C)...10:2,7-12
ASHRAE/IES Standard 90 (2.1C)...6:1,3
CECDOEDC California Compliance Tool... 12:4,1,12-14
COMPLY24 California Compliance Tool...12:2,2-6
Cooling Towers, Hot Tips for...13:3,2-3
Discovering the Unexpected w/DOE-2 (2.1C)... 7:1,3-6
DOE-2 and CCIP (2.1E)...12:3,16-18
DOE-2 and Research at LBL (2.1A)...3:2,1-8
DOE-2.1E PC Version Release...21:1,1
DOE-2.1E Release...14:3,2-8
DOE-2.1E/32: A 32-Bit Compilation of DOE-2…18:3,3
DOE-2.2: Announcement of "Non-Release" …20:2,1
DOE-Plus Pre/Post-Processor (2.1D)...11:4,4-13
DOE-SCAN Output Interpreter (2.1D)...12:4,2-3
Electric Ideas Clearinghouse...11:3,1
Energy Analysis: Texas State Capitol Restor ...13:4,2-10
Energy Efficiency in Singapore (2.1B)...5:1,1-2
The Energy FinAnswer (2.1D)...14:1,2
Energy Science & Technology Center...12:4,1
EPRI/DOE Collaboration...12:4,4-5
Graphical Tools Calibrate DOE-2...13:1,5-14
Guidelines for Simulation of Bldgs...13:3,4-8
Improved Procedures for Calibrating Hourly Simulation Models…18:1,25-30
Life beyond DOE-2.2 ???…19:1,1
National Energy Software Center...11:2,11
New Features in 2.1A ...2:1,1; 2:2,1
New Features in 2.1D...9:2,3-6
Plant Operating Strategies (2.1D)...12:3,2-15
PG&E's Pacific Energy Center...13:1,15, 15:1,6
Resource Centers
Australasia...15:1,3
Australia...16:1,43
Brazil ... 15:1,3
Egypt... 19:4,33
Czech Republic ... 20:4, 15
Egypt
Germany...16:1,43
Hong Kong...16:4,1
India ...20:2,7
Italy ... 20:4, 15
Korea...19:3,18; 19:4, 33
New Zealand...18:3,23
Portugal...15:2,20
Singapore...15:3,3
South Africa...18:2,1,33
Switzerland...16:2,1,25
Sky Simulator at LBL (2.1B)...4:2,3
SOCAL Edison's Design Assistance Program (2.1D)...12:2,48
Start Thinking Metric!...14:1,8-9
Thermal Properties of Food...14:3,19
User Survey Results...16:3,2-3
Using DOE-2 to Estimate Component Heating and Cooling Loads of the Entire U.S. Building Stock ... 19:4, 4-6
Using DOE-2 in the Design Process (2.1A)...3:2,4
Utah's Building Design Center...13:2,53

**DOE-2 (specific topics)**
Atrium Buildings, How to Model (2.1C)...7:3,2-7
BDL fix: symbol table full (all)...9:2,2; 11:1,5
Caution and Error Messages (2.1)...1:2,2-3
COMBINE (2.1D)...11:2,1
Cooling Systems, How to Size (2.1C)...10:1,2-8
Cross index of commands and keywords (2.1D ) ...12:2,7-46
Custom Weighting Factors (Automatic) (2.1A)...2:2,2-3
Input Guidelines (2.1)...1:1,15-16
Daylighting: Orientation Info for Exterior Walls (2.1E) … 19:1,21
DSNFIL, File structure for (2.1A)...3:1,6-8
Economic Evaluation Methods (2.1A)...3:1,3-5
ECONOMICS, Electric Rate Structure (2.1C)

...5:3,1-3
Electrical Generation Strategies (2.1B)...4:2,1-2
Functional Values, Development of (2.1B)...3:4,1-2
Functional Values, Example Inputs (2.1D)..12:1,2-4
Glazing Optimization Study (2.1A)...3:3,4-5
Graphs from DOE123 (2.1C,D)...10:3,5-7
Hourly reports...13:1,4
LOADS: High heating loads with low cooling loads (2.1C vs D)...12:2,47
Ice Storage Systems, How to Model (2.1C)..8:1,2-5
Input Macros for Residential Windows (2.1D) ...12:1,5-17
LDSOUT, File structure for (2.1A)...3:1,6-8
Metric Option in 2.1C...4:3,1
Optimizing Solar Control in a Commercial Building (2.1D) ...14:1,16
Output Reports (2.1A)...2:2,4-6
PLANT, Direct Cooling in (2.1A)...3:1,2
Powered Induction Units (2.1B)...4:1,2
Reading Measured Schedule Values From a File (2.1D) ...14:1,3-4
Reports (Upgraded) in 2.1B...4:4,1-2
Schedules, Preparing (2.1B)...4:1,3; 4:2,4;9:3,2-3
Systems, Developments in (2.1C)...5:3,3-4
SYSTEMS, Schedules (2.1E) ... 15:4,2-5
SYSTEMS, Sizing Option in (2.1A)...2:3,3
Stud Wall Construction (2.1A)...2:3,4
Sample Run Book Overview (2.1C)...6:2,1
Spectrally Selective Glazings in Cooling-Dominated Climates (2.1D)...14:2,16
Sunspace/Atrium Model in 2.1C...5:4,1-2
Surface Temperature Calculations in DOE-2.1E ... 20:2,4-7
VAV: Elevated Supply Air Temps (2.1B)...4:3,2-3
VAV: Fan Sizing (2.1A)...2:2,7-8
Weather, Processing Nonstandard (2.1D)...10:3,2-6

**DOE-2, Validation of**
Collins Building (2.1C)...8:3,2-4
DOE-2 vs BLAST Comparison (2.1A)...3:3,1-3
DOE-2 vs CERL Data: VAV and Reheat (2.1A)... 3:2,3
Daylighting Dimming & Energy Savings (2.1E)... 17:1,7-14
Validation Studies of DOE-2 ... 19:3,14

**DOE-2.1**
Articles related to Version 2.1
CWF Input Guidelines...1:1,15-16
Caution and Error Messages...1:2,2-3
WRISC...1:2,4
Bugs
About bugs...1:1,3
BDL...1:1,4-6; 1:2,6
LOADS...1:1,6
SYSTEMS...1:1,7; 1:2,7-8
PLANT...1:1,9-10; 1:2,8
Weather...1:2,6
Documentation Updates
BDL Summary...1:1,11-14; 1:2,9-12
Reference Manual...1:1,11-14
Sample Run Book...1:1,11-14
Users Guide...1:1,11-14
LOADS
EQUIPMENT-KW...1:1,19
verification reports...1:1,17-18
passed from SYS to PLT...1:1,17
SHADING COEF...1:1,17
schedules ...1:2,14
PLANT
BEPS (report)...1:1,20
minimum input...1:1,20
HOT-WATER...1:2,13
SYSTEMS
COOL-CONTROL...1:2,13
EQUIPMENT KW...1:1,19
MIN CFM RATIO...1:1,19
RETURN CFM...1:2,13
PTAC...1:2,13
SYSTEM-FANS...1:2,13
thermostat, how to model...1:2,14
WEATHER
Tapes...1:1,17

**DOE-2.1A**
Articles related to Version 2.1A
Automatic Custom Weighting Factors...2:2,2-3
CIRA...3:2,2
Direct Cooling in PLANT...3:1,2
DOE-2 vs BLAST Comparison...3:3,1-3
DOE-2 vs CERL Data for VAV and Reheat...3:2,3
DOE-2 on a PC...2:3,1-2
DOE-2 and Research at LBL...3:2,1-8
Economic Evaluation Methods...3:1,3-5
Fan Sizing for VAV Systems...2:2,7-8
File Structure for LDSOUT and DSNFIL...3:1,6-8
Glazing Optimization Study...3:3,4-5
Output Reports...2:2,4-6
New Features in 2.1A...2:1,1; 2:2,1
Sizing Option in SYSTEMS...2:3,3
Stud Wall Construction...2:3,4
Using DOE-2 in the Design Process...3:2,4
Bugs
All bugs...3:4,3-6
BDL...2:1,3-6; 2:2,9-10; 2:3,5; 3:1,9-10; 3:1,13; 3:3,3
LOADS...2:1,7; 2:3,5; 3:1,10
SYSTEMS...2:1,8-12; 2:2,10-11; 2:3,5; 3:1,10-12; 3:2,5; 3:3,3
PLANT...2:1,12-14; 2:3,5; 3:1,12
ECON...2:2,11
Weather...2:1,6
Documentation Updates
BDL Summary...2:1,15
Reference Manual...2:1,16-20
Users Guide...2:1,16
ECONOMICS
symbol table...2:1,21
INCREMENTAL-INVESTMENTS...2:2,13
LOADS
building shades...2:3,6
DHW heater...2:1,22
DHW temp...2:1,12
heat recovery...2:2,12
MULTIPLIER...2:3,6
symbol table...2:1,21
PLANT
BEPS (report)...2:3,6
cooling towers...2:2,12
equipment combinations...3:2,6
symbol table...2:1,21
SYSTEMS
ABORT command...2:1,22
DDS system...3:1,13
residential ground water heat pump...3:2,6
sizing/behavior of systems...2:1,22-23
symbol table...2:1,21

**DOE-2.1B**
Articles related to Version 2.1B
Electrical Generation Strategies...4:2,1-2
Elevated Supply Air Temps: VAV...4:3,2-3
Energy Efficiency in Singapore...5:1,1-2
Functional Values, Development of...3:4,1-2
New Features in 2.1B...2:1,1; 2:2,1
Powered Induction Units...4:1,2
Preparing Schedules...4:1,3; 4:2,4

Sky Simulator at LBL...4:2,3
Upgraded Reports in 2.1B...4:4,1-2
Bugs
All bugs...5:4,3-6
BDL...4:4,5; 5:1,4
LDS...4:4,6; 5:1,5
SYS...4:4,6; 5:1,5
PLT...4:4,6; 5:1,5
WTH...4:4,6; 5:1,5
Documentation Updates
BDL Summary...4:4,3
Reference Manual...4:1,4; 4:4,3; 5:1,3; 5:4,7
Sample Run Book...8:3,5
Supplement...4:4,3; 5:1,3
LOADS
daylighting...5:4,7
hourly report variables...4:1,5
PLANT
BEPS (lighting)...5:4,6
ice storage...5:4,7
SYSTEMS
cooling/heating, LOADS to PLANT...4:1,5
dual systems...3:4,7
fan coil units...5:4,6
heating/cooling unit ventilation...4:2,6
kitchen exhaust...4:2,5
radiant panel heating/cooling...4:2,5
startup controls...3:4,7
steam radiation, with vent...4:2,5
steam radiation, without vent...4:2,5

**DOE-2.1C**
Articles related to Version 2.1C
A Minute Per Zone on PC's...11:1,2-4
ADM-2...7:2,6-9
Advanced Simulation...7:4,4-8
ASHRAE/IES Standard 90...6:1,3
Discovering the Unexpected w/DOE-2...7:1,3-6
Cooling Systems, How to Size...10:1,2-8
DOE-2 and the Next Generation...6:4,1-2
Functional Values, Development of...3:4,1-2
Metric Option in 2.1C...4:3,1
MICRO-DOE2...7:4,2-3
Modeling Atrium Buildings...7:3,2-7
Modeling Complex Daylighting...11:1,6-15
Modeling Ice Storage Systems...8:1,2-5
PC-DOE Overview...7:2,2-3
PC Update...6:1,2
New Elec. Rate Structure, ECONOMICS...5:3,1-3
Sample Run Book Overview...6:2,1
Seeing Daylight in Southern California...6:3,1
Sunspace/Atrium Model in 2.1C...5:4,1-2
Systems, Developments in 2.1C...5:3,3-4
Using PC-DOE...7:2,4-5
Validation of DOE-2: the Collins Building..8:3,2-4
Weather Data for DOE-2...7:4,9-14
Weather Processor Update...7:3,8-10
Weather Utility Program...7:3,10-12
BDL
schedules...9:3,2-3
symbol table full...9:2,2
BUGS
All bugs...9:3,4-16
BDL...7:1,9-33; 9:1,4
ECO...7:1,9-33
LDS...7:1,9-33; 7:3,13-14; 8:1,6; 8:4,5
SYS...7:1,9-33; 8:4,4-5; 9:1,3-5
PLT...7:1,9-33; 8:4,6
RPT...7:1,9-33; 8:1,6
WTH...7:1,9-33; 8:2,3
Documentation Updates
BDL Summary...6:4,4
Engineers Manual...7:1,7-8
Supplement...6:4,4
LOADS
run times 2.1B vs 2.1C...7:1,2
SET-DEFAULT, ROOF + EXT-WALL...8:3,5
SYSTEMS
bypass system...6:1,3
specifying occupancy...6:4,2
BEPS (hourly report variable)...6:4,2
warm-up cycle...8:3,5
VVT systems...9:1,2

**DOE-2.1D**
Articles related to Version 2.1D
Alphabetical cross index of commands/keywords ...12:2,7-46
BDL Summary...9:4,2-3
CECDOEDC California Compliance Tool... 12:4,1,12-14
Cooling Towers, Hot Tips for...13:3,2-3
DOE-Plus Pre- and Post-Processor...11:4,4-13
Energy Analysis of the Texas State Capitol Restoration ...13:4,2-10
Energy FinAnswer...14:1,2
Functional Values, Example Inputs...12:1,2-4
Evaporative Cooling ...12:4,1
Graphical Tools Calibrate DOE-2...13:1,5-14
Hourly reports...13:1,4
Input Macros for Residential Windows ...12:1,5-17
LOADS: High heating loads with low cooling loads (2.1C vs 2.1D)...12:2,47
New Features in 2.1D...9:2,3-6
Optimizing Solar Control in a Commercial Building... 14:1,16
Plant Operating Strategies (2.1D)...12:3,2-15
Reading Measured Schedule Values From a File...14:1,3-4
Reports...14:4,2
Sample Run Book...9:4,2-3
Southern California Edison's Design Assistance Program ...12:2,48
Spectrally Selective Glazings in Cooling-Dominated Climates ...14:2,16
Switchable Window Modeling...14:3,12
BDL
symbol table full (2.1D)...11:1,5
Documentation Updates
Basic Manual
System type: HP...11:1,21-22
System type: PIU...11:1,16-20
System type: PMZS...11:2,5-7
System type: PSZ...11:2,2-4
System type: PVAVS...11:2,8-10
System type: SZRH...10:4,2-5
System type: VAVS...11:1,23-25
BDL Summary...11:3,27; 12:1,21-24
Supplement...11:4,2-3; 12:3,31

**DOE-2.1E**
Articles related to Version 2.1E
Calculation of Surface Temperatures...16:2,4-6
Changing the Holiday List...16:1,5-13
Daylighting: Orientation Information for Interior Walls…19:1,21
DOE-2 Validation: Daylighting Dimming and Energy Savings: Window Orientation and Blinds...17:1,7-14
DOE-2.1E/32: A 32-Bit Compilation of DOE-2…18:3,3
Greening of the White House...15:2,6
Input Functions to Determine Building Load w/Outside Air...15:2,3-5
Metric Unit Values for ENERGY-RESOURCE..16:1,2-3
New Features in 2.1E...13:1,2-3
RIUSKA and SMOG ... 20:3,2-5
PC version of DOE-2.1E ...21:1,1
Release of DOE-2.1E ...14:3,2-8

Simplified Tool for Design of Compressor-less Houses...16:3,7-15
Surface Heat Transfer Calculation …19:1,6-13
Surface Temperature Calculations in DOE-2.1E ... 20:2,4-7
Switch-Off Dimming Systems...16:1,4
2-Dimensional Wall Response Factors...17:3,6-12
Underground Surfaces:
Surface Heat Transfer Calculation …19:1,6-13; 19:4, 40
User Survey: Input Functions ...15:3,23
Using DOE-2 to Estimate Component Heating and Cooling Loads of the Entire U.S. Building Stock ... 19:4, 4-6
Using DOE-2 to Study Apartment Indoor Temperatures During the July 1995 Chicago Heat Wave...17:3,2-5
BDL
Saving Hourly Output for Postprocessing…18:1,31
Bugs in DOE-2.1E
BDL...15:3,8,10,12;15:4,7;17:2,10-14; 18:2,9; 19:2,5; 21:5,13-15
DEDT...17:2,10-14;17:2,10-14; 19:2,5; 21:5,13-15
DKEY...15:3,8,11;17:2,10-14; 21:5,13-15
DRLC...15:3,8;17:2,10-14; 21:5,13-15
HRP...17:2,10-14; 21:5,13-15
LDS...15:3,9,10;15:4,7;17:2,10-14; 18:2,9; 19:2,5; 21:5,13-15
PLT...15:3,11;17:2,10-14; 21:5,13-15
SIM...15:3,10;17:2,10-14; 18:2,9; 19:2,5; 21:5,13-15
SYS...15:3,8,10,11,12;15:4,6;17:2,10-14; 19:2,5; 21:5,13-15
WTH...15:4,6;17:2,10-14; 18:2,9; 19:2,5; 21:5,13-15
Loads
DESIGN-DAY ...15:1,2
Systems
Overview of SYSTEMS Schedules...15:4,2-5
System Type: VAVS...15:2,2
Documentation
BASIC Manual...16:1,14
BDL Summary...16:1,14-18
Sample Run Book Metric I/O...16:3,32
Supplement...16:3,19-26; 19:3,15

**DOE-2.2**
A New Generation in DOE-2 Building Energy Analysis..19:2,2-5
DOE-2.2: Announcement of "Non-Release" …20:2,1

**ECONOMICS Subprogram, DOE-2**
INCREMENTAL-INVESTMENTS (2.1A)...2:2,13
New Electrical Rate Structure (2.1C)...5:3,1-3
symbol table (2.1A)...2:1,21

**ENERGY-10 Program**
ENERGY-10 Program ... 21:2,6; 21:3, 13; 21:4,13; 21:5,11
WeatherMaker ... 20:3,8-13

**EnergyPlus Program**
Become an EnergyPlus Program Developer ... 20:3,18
Best of BLAST and DOE-2...16:3,1
Frequently Asked Questions (Beta 2) ... 21:2,2-5
COMIS: The Multizone Air Flow and Contaminant Trans-port Model for EnergyPlus ... 19:4, 8-15
DOE-2 and BLAST Unite!...16:4,1
EnergyBase: The Best of DOE-2 and BLAST...17:3,28
EnergyPlus: A New-Generation Building Energy Simulation Program ... 20:1,2-13
EnergyPlus meets Bestest ... 21:4,2-8
EnergyPlus: The Merget of DOE-2 and BLAST...19:4,2
Heat Balance Method of Calculating Building Heating and Cooling Loads...17:1,32-35
Software Engineering in the "Best Of" Project...17:2,28-29

**EZFrame Program**
EZFRAME (Calif Energy Comm) ...15:1,10-12

**GenOpt, Generic Optimization Program**
GenOpt: Generic Optimization...19:2,12-14; 19:3,15; 20:2,19; 20:3,22; 20:4,13; 21:1,9; 21:2,7
GenOpt 1.1 ... 21:3,13; 21:4,10; 21:5,12
*"Design Optimization with GenOpt"*... 21:5,19-28

**Interoperability**
The Bild-IT Project ... 21:5,2-3
BSPro COM-Server ... 21:5,4-5

**LIGHTING**
Lighting Design Lab ... 21:5,11

**LOADS Subprogram, DOE-2**
building shades (2.1A)...2:3,6
EQUIPMENT-KW (2.1)...1:1,19
Daylighting (2.1B)...5:4,7
Daylighting w/ Multiple Skylights (2.1D)...13:2,2-5
DHW heater (2.1A)...2:1,22
DHW temp (2.1A)...2:1,12
heat recovery (2.1A)...2:2,12
high heating loads with low cooling loads (2.1C vs 2.1D)...12:2,47
hourly report variables (2.1B)...4:1,5
MULTIPLIER (2.1A)...2:3,6
run times 2.1B vs 2.1C...7:1,2
schedules (2.1)...1:2,14
SET-DEFAULT, ROOF + EXT-WALL (2.1C)...8:3,5
SHADING COEF (2.1)...1:1,17
symbol table (2.1A)...2:1,21
SYSTEMS to PLANT (2.1)...1:1,17
verification reports (2.1)...1:1,17-18

**Microcomputer Program**
DOE-2 Related
A Minute Per Zone on PC's (MicroDOE2).11:1,2-4
ADM-2 (2.1C)...7:2,6-9
BDL Builder (MicroDOE2) (2.1E)...16:2,7-12
Compare-IT from RLW Analytics…19:1,14-15; 19:2,18
CECDOEDC Cal Compliance Tool...12:4,1,12-14
COMPLY24 Cal Compliance Tool...12:2,2-6
Demand Analyzer (DOE-Plus)...16:1,28-32
DOE-2 on a PC (2.1A)...2:3,1-2
DOE-Plus Pre/Post-Proc (2.1D)...11:4,4-13; 13:2,54-56
DRAWBDL A Graphic Debugging and Drawing Tool for DOE-2...14:1,5-7, 14:4,16-17; 15:2,8; 16:1,37; 20:4,12
D2E Conversion (MicroDOE2) (2.1E)...15:3,4-5
E2BB (MicroDOE2) (2.1E)...16:4,7-8
*Energy Gauge USA* ... 19:4, 16-18
EnergyPro…18:2,2-7, 18:4,21
Evaporative Cooling ...12:4,1
EZDOE (from Elite Software) (2.1D)...14:2,10,14:4,8-14
Graphs from DOE123 (2.1C,D)...10:3,5-7
MICRO-DOE2 (2.1C)...7:4,2-3, 15:1,8-9
PC-DOE Overview (2.1C)...7:2,2-3
Perform 98 (2.1E) ... 21:1,3
PRC-DOE2 Description (2.1D)...13:4,11, 15:1,5
PRC-Tools (2.1D)...14:2,9
Quick Analysis of Outputs (2.1C,D)...10:2,7-12
Quickee 1.0 (GeoPraxis) ... 20:2,11
RIUSKA: 3-D Space Modeling with DOE-2.18:4,12
RIUSKA and SMOG ... 20:3,2-5
Using PC-DOE (2.1C)...7:2,4-5

VisualDOE (Eley Assoc) (2.1E)...15:2,10-18; 16:4,9-16
VisualDOE 2.5...17:4,8-13,VisualDOE 3.0 ... 20:2,12-14
VISUALIZE-IT, New Data Visualization Tools for DOE-2 Calibration (RLW Analytics) (2.1E)...17:2,2-6
Web-Based Building Performance Assessment: The CBIP Screening Tool ... 21:6,2-4

Other
ADELINE 1.0...16:3,6
ADELINE 2.0...17:4,36-39
BinMaker from GRI ...19:2,24
BEST: B.C. Hydro's Interface to DOE-2 .18:2,10-16
Building Design Advisor (BDA), Release 2.0... 21:4,12
CIRA (2.1A)...3:2,2
COMIS: The Multizone Air Flow and Contaminant Transport Model for EnergyPlus ... 19:4, 8-15
CoolTools from PG&E ... 20:2,8-9
Daylighting Design Tool Survey ...11:2,12-17; 12:3,19-24, 14:2,2-8
DesiCalc from GRI...19:2,15
Desktop RADIANCE ... 20:3,7; 21:3,3-6
EZFRAME (Calif Energy Comm) ...15:1,10-12
GenOpt: Generic Optimization ...19:2,12-14; 19:3,15; 20:2,19; 20:3,22; 20:4,13
PC Update (2.1C)...6:1,2
PEAR (2.1C)...8:2,2
PSYCHART 1.4...16:2,28
RESFEN-2.4...16:3,31; 16:4,1 17:1,14
RESFEN-3.0…18:3,1-2
RESFEN-3.1…20:2,7
SUPERLITE-2.0 (2.1C)...8:2,1, 17:1,14
THERM...17:1,14
THERM 2.0 ... 19:3,14; 20:3,14-17
*UMIDUS:* A PC Program for the prediction of heat and moisture transfer in Porous building Elements ... 20:4, 2-8
WINDOW-2.0 (2.1C)...8:4,2-3
WINDOW-3.1 (2.1C,D)...10:2,5-6
WINDOW-4.1 (2.1E)...15:1,7, 15:2,31, 17:1,14
WINDOW-4.1 Spectral Data...17:2,1
WRISC (2.1)...1:2,4

**PLANT Subprogram, DOE-2**
BEPS (report) (2.1)...1:1,20
BEPS (report) (2.1A)...2:3,6
BEPS (lighting) (2.1B)...5:4,6
cooling towers (2.1A)...2:2,12
Direct Cooling in PLANT (2.1A)...3:1,2
equipment combinations (2.1A)...3:2,6
HOT-WATER (2.1)...1:2,13
ice storage (2.1B)...5:4,7
minimum input (2.1)...1:1,20
Plant Operating Strategies (2.1D)...12:3,2-15
symbol table (2.1A)...2:1,21

**PEAR Program**
PEAR (2.1C)...8:2,2

**RADIANCE Program** (see Desktop RADIANCE)
Desktop RADIANCE ... 20:3,7; 21:3,3-6

**RESFEN Program**
RESFEN-2.4...16:3,31; 16:4,1 17:1,14
RESFEN-3.0…18:3,1-2
RESFEN-3.1…20:2,7

**SPARK Program**
SPARK ... 17:1,2-6
Beta Test Report ... 19:2,25
Call for Beta Testers...16:4,36; 17:1,36, 17:2,36
SPARK Simulation Environment: A Non-Graphical Primer...17:1,2-6
Update...16:2,2-3
VisualSPARK, call for beta testers ... 20:2,2-3; 20:3,25; 20:4,9; 21:1,5; 21:2,6; 21:3,9
VisualSPARK, Release of Version 1.0 ... 21:5,1

**SUPERLITE Program**
SUPERLITE-2.0 (2.1C)...8:2,1, 17:1,14

**SYSTEMS Subprogram, DOE-2**
ABORT command (2.1A)...2:1,22
BEPS (hourly report variable) (2.1C)...6:4,2
bypass system (2.1C)...6:1,3
COOL-CONTROL (2.1)...1:2,13
cooling/heating, LOADS to PLANT (2.1B)...4:1,5
DDS system (2.1A)...3:1,13
dual systems (2.1B)...3:4,7
EQUIPMENT-KW (2.1)...1:1,19
fan coil units (2.1B)...5:4,6
Gas Heat Pump Calculations (2.1D)...14:3,9-11
heating/cooling unit ventilation (2.1B)...4:2,6
kitchen exhaust (2.1B)...4:2,5
MIN-CFM-RATIO (2.1)...1:1,19
PIU (2.1D)...11:1,16-20
PMZS (2.1D)...11:2,5-7
PSZ (2.1D)...11:2,2-4
PTAC (2.1D)...1:2,13
PVAVS (2.1D)...11:2,8-10
radiant panel heating/cooling (2.1B)...4:2,5
residential ground water heatpump (2.1A)...3:2,6
RETURN-CFM (2.1)...1:2,13
sizing/behavior of systems (2.1A)...2:1,22-23
specifying occupancy (2.1C)...6:4,2
startup controls (2.1B)...3:4,7
steam radiation, with vent (2.1B)...4:2,5
steam radiation, without vent (2.1B)...4:2,5
symbol table (2.1A)...2:1,21
SYSTEM-FANS (2.1)...1:2,13
SYSTEMS, Sizing Option in (2.1A)...2:3,3
SYSTEMS, Overview of Schedules...15:4,2-5
SZRH...10:4,2-5
thermostat, how to model (2.1)...1:2,14
VVT systems (2.1C)...9:1,2
Warm-up cycle (2.1C)...8:3,5

**WINDOW Program**
WINDOW-2.0 (2.1C)...8:4,2-3
WINDOW-3.1 (2.1C,D)...10:2,5-6
WINDOW-4.1 (2.1E)...15:1,7, 15:2,31, 17:1,14
WINDOW-4.1 Spectral Data...17:2,1

**Validation of DOE-2**
Collins Building (2.1C)...8:3,2-4
DOE-2 vs BLAST Comparison (2.1A)...3:3,1-3
DOE-2 vs CERL Data: VAV and Reheat (2.1A)... 3:2,3
Daylighting Dimming & Energy Savings (2.1E)... 17:1,7-14
Validation Studies of DOE-2 ... 19:3,14

**VisualSPARK** (see SPARK)

**Weather**
Canadian Weather Tapes (2.1E)...15:4,8,9
Data for DOE-2 (2.1C)...7:4,9-14
DOE-2 Validation: Daylighting Dimming and Energy Savings: The Effects of Window Orientation and Blinds...17:1,7-14
DOE-2 Weather Processor (rewrite) ... 20:1,insert
*Does it Matter Which Weather Data You use in Energy Simulations?…*18:1,2-12
EnergySoft: Weather Files on a CD ...15:3,13
Has the Sun Set on Weather Data? ... 20:3,6-7
Nonstandard Weather Data (2.1C,D)...10:3,2-6
Processor Update (2.1C)...7:3,8-10

Tapes (2.1)...1:1,17
TMY/TMY2-Download from the WWW...17:1,1; 17:2,1
TMY2 to TMY Converter ... 19:2,23
TMY2 Weather for DOE-2...16:3,4-6
WeatherMaker ... 20:3,8-13 (see **ENERGY-10**)
Weather Utility Program (2.1C)...7:3,10-12

**World Wide Web**
ACEEE...16:2,23
ASHRAE...16:3,31
ASME ... 20:4,23
BLAST Support Office...17:1,28
Building Tools Directory…18:2,30
Building Design Advisor…19:1, 19:2
CADDET...16:2,23
California, State Of
Energy Commission...16:1,42
Energy Standards...17:2,25
Canadian Office of Energy Efficiency ... 21:3,12
CIE: Int'l Commission on Illumination ...16:1,44
CIEE ... 20:4,23
Consulting/Specifying Engineer Magazine…18:2,30
Danish Energy Agency ... 21:3,12
Energy Guy ... 21:1,11
EnergyPlus Program…19:1,26
Energy Star Products ... 21:1,11
Energy Systems Lab (TAMU) ... 20:4,23
EREN: Energy Efficiency/Renewable Energy...16:1,44
FedWorld...16:2,22
Florida, State of -- Design Initiative...17:2,25
Solar Energy Center...17:1,29
Bldg Design Assistance Center...17:1,29
Bldg Energy Efficiency Rating System...17:1,29
*e-design* newsletter...17:2,25
Home Energy Magazine...17:1,29
IBPSA...16:4,35
IEA Solar Heating and Cooling Programme ... 21:3,12; 21:3,12
Institute for Research in Construction ...16:3,31
Joint Center for Energy Management (CSU) ... 20:4,23
Lawrence Berkeley National Lab:
Building Design Advisor…19:1, 19:2
Center for Building Science...17:3,26
Home Energy Saver ... 20:4,23
Leaking Electricity Home Page ... 19:4, 37
RESFEN...17:1,14
SUPERLITE...17:1,14
WINDOW-4.1...17:1,14
Virtual Home Energy Advisor...17:3,26
Lighting Design Laboratory …19:1,26; 20:3,25
Linric Company ... 19:3, 24
Nat'l Climatic Data Center ... 19:2,26
Nat'l Oceanic & Atmospheric Admin (NOAA)... 19:2,26
New Buildings Institute ... 19:4, 37
Numerical Logics of Canada ... 19:3,24
Oak Ridge National Laboratory
Building Technology Center ... 21:1,11
Whole-Wall Thermal Performance Calculator
Moisture Control in Roofing Calculator
Modified Zone Method Calculator
Zip Code Insulation Program
Whole-Wall Thermal Performance Calculator
R-value Recommendation
PG&E's Energy Center...17:4, 18
REED: Residential Energy Efficiency Database ... 20:4,23
SOLARCH (Australia) ... 20:4,23
Status of State Energy Codes ... 20:4,23
UCLA School of Architecture ... 21:4,14
Solar 5.7
TMY Climate Data
Solar-2
Opaque
Daylit
Datalit
U.S. Dept of Energy...15:4,1
Building Energy Tools Directory...17:3,5
Building Standards...19:2,26
Information Bridge...19:2,26
Washington, State of
Energy Ideas Clearinghouse...17:3,26
Washington State Energy Office...16:4,35
Washington State Univ Energy Program...17:3,26
Watsun Simulation Laboratory...17:4, 28
White House...15:4,1
Windows, Efficient Windows Site ... 20:3,17

**UMIDUS Program**
*UMIDUS:* A PC Program for the prediction of heat and moisture transfer in Porous building Elements . 20:4, 2-8

**How to contact us:**

**Simulation Research Group**
**MS: 90-3147**
**LAWRENCE BERKELEY NATIONAL LABORATORY**
**Berkeley, CA 94720-0001 U.S.A.**
**Fax: (510) 486-4089**
**Email: KLEllington@lbl.gov**

**Web: http://SimulationResearch.lbl.gov**