Creating a Public Web Database about High Performance (Green) Buildings

Preprint

D.B. Crawley
U.S. Department of Energy

P. Torcellini National Renewable Energy Laboratory

N. Malin
Building Green, Inc.

To be presented at the International Conference of the American Society of Heating, Refrigerating, and Air-Conditioning Engineers and the Chartered Institution of Building Services Engineers
Edinburgh, Scotland
September 24–26, 2003



1617 Cole Boulevard Golden, Colorado 80401-3393

NREL is a U.S. Department of Energy Laboratory Operated by Midwest Research Institute • Battelle • Bechtel

Contract No. DE-AC36-99-GO10337

NOTICE

The submitted manuscript has been offered by an employee of the Midwest Research Institute (MRI), a contractor of the US Government under Contract No. DE-AC36-99GO10337. Accordingly, the US Government and MRI retain a nonexclusive royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for US Government purposes.

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available electronically at http://www.osti.gov/bridge

Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from:

U.S. Department of Energy Office of Scientific and Technical Information P.O. Box 62 Oak Ridge, TN 37831-0062

phone: 865.576.8401 fax: 865.576.5728

email: reports@adonis.osti.gov

Available for sale to the public, in paper, from:

U.S. Department of Commerce National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

phone: 800.553.6847 fax: 703.605.6900

email: orders@ntis.fedworld.gov

online ordering: http://www.ntis.gov/ordering.htm



Creating a Public Web Database about High Performance (Green) Buildings

Drury B. Crawley¹
Paul A. Torcellini, PhD, P.E.²
Naday Malin³

Program Manager, U.S. Department of Energy, E-mail: mailto:drury.crawley@ee.doe.gov

³ Vice President, Building Green, Inc., E-mail: mailto:nadav@buildinggreen.com

SUMMARY

A U. S. federal agency has developed a public web database to centralize and distribute information about sustainable and high-performance buildings. Available since May 2002, the database contains more than 50 completed case studies with another 50 nearing completion. The database collects information related to a building's physical attributes, design process, finance and cost, site, water use, landscaping, materials, indoor air quality, and energy use. It uses submitted information to produce case studies of building projects, which include photo galleries as well as bibliographies of any additional information published about the buildings. Anyone can submit a building project to the database for review and eventual publication at http://www.highperformancebuildings.gov/case_studies.

1. INTRODUCTION

Many sustainable buildings have been completed or are currently under construction. Such buildings are considered leading edge because they address a building's environmental impact as well as a building's affect on its occupants. Considerable information about these buildings exists and making this information available on the World Wide Web offers tremendous potential to help improve future generations of buildings worldwide. In the past, performance information about buildings was limited to aggregate totals of the building stock (Energy Information Administration 2002), and case studies in books or on CD-ROM. Examples of these case studies include the Green Building Advisor (Building Green 2002) and Green Developments (Rocky Mountain Institute 2002). The work required to create case studies such as the above is often repeated unnecessarily and project teams are still being inundated with repetitive requests for information.

The World-Wide Web allows information to be quickly updated and widely accessed. This paper describes a new web-based High Performance Buildings (HPB) database that captures the multi-faceted nature of sustainable building concepts and provides a mechanism for disseminating information to advance the building industry. This public database features projects with innovations in fields such as energy efficiency, materials use, and water conservation. The database can store and display information on projects of all sizes, ranging from campuses and neighborhoods to homes and even commercial interiors. Although it is intended to describe projects in great detail, most data fields are optional, so less detailed

² Senior Engineer, Center for Buildings and Thermal Systems, National Renewable Energy Laboratory, E-mail: mailto:high_performance@nrel.gov

entries are also possible. Obviously, the more information the database contains, the more useful the case studies. A wide range of search options is available, allowing users to locate projects of interest by location, building type, size, keyword, and many other parameters.

2. DEVELOPMENT AND FORMAT OF THE DATABASE

A team of building professionals worked with Web developers to create the database. The team included engineers, architects, green building consultants, and publishers of sustainable design information. This team studied existing databases for content, structure, and functionality, and reviewed the ways in which case studies are displayed in print, online, and in public presentations. Based on this review, a generic "case study template" was developed to describe the overall structure and specific fields of a database entry.

Table 1 summarizes the twelve case study topical areas. Most of the areas have a set of high-level metrics. In addition, extensive text fields are available in which users can explain information contained in the section. The "overview" section contains general information about the project, including location, building use, area, and completion date. Check boxes serve to standardize the type of information collected. In addition, text fields can be used to elaborate on specific techniques and methods that make the project unique. Goals and results can also be entered into the text boxes.

3. USE OF THE DATABASE

3.1 Searching the database

Once a user enters the HPB database (see Figure 1), they have many options for searching using one of several "simple" search options (location, project name, owner, building type), or with a multivariable Boolean search of these and additional options on the "advanced" search screen. Projects that meet the search criteria are listed by name, with owner and location. Clicking on a project name takes the user to an "Overview screen" that provides a description of the project with a list of all topics areas for that project as shown in Figure 2.

A "Topics" navigation bar on the left (see Figure 3) shows the list of detailed topic areas with some highlighted and others (potentially) grayed out, reflecting which topics are and are not available for this project. If more than one project meets the current search criteria, it is possible to jump from project to project using a pull-down menu at the top of each screen (see Figure 4). This navigation option allows users to browse through a list of projects while staying within a particular topic. For example, if you are interested in energy information about all buildings that met your search criteria, go to "energy" (see Figure 5) and select another building from the list at the top. The search engine will go to the energy screen for that building. Other example screens are shown in Figure 6 (thumbnail and large images) and Figure 7 (awards).

3.2 Entering additional buildings

Anyone can register and submit a building case study for review and eventual publication in the database. The person submitting a case study must be able to certify that they have the authority to release information about the building into a public venue. It is not necessary to enter data in every field, but the design and owner community will benefit most from complete data. It is also important to capture the "lessons learned," as others can benefit tremendously from reading about what did and what did not work well. After entering the data, it can be

reviewed for accuracy before submitting. Note that information can be completed in multiple sessions. Once the entry is submitted, the information is stored in the database. Before publication, an editorial team will review the content and determine if there is sufficient information to publish the case study.

Figure 8 shows an example of an input screen. The navigation bar on the left shows the variety of input screens that are available. The report engine will sort this information and produce the case-study reports as shown in Figure 3. Note the pull-down boxes. Examples of these are unit selection and categories of inputs to standardize input types and to guide the indexing and search capabilities.

Table 1. The Twelve Case Study Topic Areas.

Topic	Description	Sample Fields	
Overview	General description of the	Building location, use, and size,	
	building	general overview	
Process	Information about the design	Design team members, detailed	
	process and evaluation of the building	process methods as text boxes	
Finance	Financial information	Construction costs, financing	
		methods, especially of sustainable technologies	
Land Use	Techniques at the community scale to minimize environmental impact	Land planning, transportation strategies	
Site/Water	Techniques to minimize the impact of landscaping and water use	Site reuse, landscaping, irrigation techniques, water conservation	
Energy	Energy consumption data	Utility bills, breakdown of energy end-uses, design approaches and technologies used	
Materials	Material selections	Use of local materials, recycling, low-emission products	
Indoor	Indoor environmental quality	Access to daylighting,	
Environment		commissioning, low-VOC products, outside air control	
Images	Photo library of images	Photos, rendering, or schematics	
mages	1 Hoto library of imageo	with captions and credits	
Ratings and	Listing of ratings systems used	LEED™ rating (including credits	
Awards	for the building and awards	achieved), if applicable, Green	
		Building Challenge, list of awards received	
Lessons Learned	Documentation of major	Text box of lessons learned	
	successes and lessons learned		
	from the project that can be		
	transferred to other efforts		
Learn More	Additional information about the	Visiting and directions, technical	
	project	papers, other publications and	
		links to related web-sites	



Figure 1. Database Opening Screen Showing Search Capabilities.

It is not necessary that building construction be complete before information is entered in the database. Additional information can be added as it becomes available.

Some general guidelines:

- Use lots of photos to help tell the story about the building;
- Include information about process that would interest the design community;
- Include "lessons learned" about each topic that discuss "issues or problems" to avoid in the future and highlight ideas that worked well;
- Use generic names whenever possible. Brand names will be removed during the review process;
- Provide as much energy data as possible. Total energy consumption can be taken from utility bills:
- Include the motivation behind the building and why environmentally sensitive strategies were used.

4. FUTURE PLANS FOR THE DATABASE

Additional development of the HPB database is planned to facilitate data entry, review, and publication. The development includes:

- Ability to print out all the data entered about a project for off-line review;
- Off-line entry such that data can be uploaded directly into the database;
- Customized front-ends and queries. For example, if an organization or agency wants to highlight specific buildings, a query and front-end can be set up to view only those projects:
- Ability to export an attractive PDF file of a project;
- Additional building metrics on performance.



Zion National Park Visitor Center (Zion Visitor Center)

TOPICS Descriew Process Finance Land Use Site/Water Energy Materials Indoor Environ. Images Ratings/Awards Lessons Learn More HPB DATABASE Home | Help

Overview

- · Location: Springdale, UT
- Building type(s): Retail, Interpretive Center, Assembly, Transportation, Park
- · New construction
- 7,600 sq. ft. (710 sq. meters)
- · Project scope: 1-story building
- · Completed May 2000
- Related projects: Zion Comfort Station is within this project.

As a primary component of the Zion Canyon Transportation System, this low-energy, sustainable facility is the entry to a transit- and pedestrian-centered visitor experience, providing park information, interpretation and trip-planning assistance within a resource environment. The new visitor center is part of a transportation system that seeks to reduce resource impacts and enhance the visitor experience. Consisting of indoor and outdoor spaces for visitor services, this facility creates a setting to promote and





Environmental Aspects

Several effective energy features were included in this project: daylighting, Trombe walls for passive solar heating, downdraft cooltowers for natural ventilation cooling, energy-efficient lighting, and advanced building controls. A roof-mounted photovolitaic (PV) system provides electric power. This project will save roughly \$14,000 and about 10 kW of electric demand per year through these energy-saving measures.

Figure 2. Example Project Overview Screen.



Figure 3. Project Navigation and Topics.



Figure 4. Pulldown Box for Navigating between Projects within a Topic.




Figure 5. Example Energy Screen.

5. CONCLUSIONS

Specific, reliable information on high-performance buildings is in great demand. organizations are collecting and publishing case studies of exemplary projects. The work required to create those case studies is being repeated unnecessarily, and project teams are inundated with repetitive requests for information.

The HPB Database supports research and development of high-performance buildings by providing a centralized clearinghouse where exhaustive information about a project can be

entered once, by anyone connected with the project, and then accessed by everyone. It also offers building professionals a tool to help improve future generations of buildings.

6. REFERENCES

Energy Information Administration. 2002. "Commercial Buildings Energy Consumption Survey (CBECS)." http://www.eia.doe.gov/emeu/cbecs/contents.html

Building Green, Inc. 2002. "Green Building Advisor." http://www.greenbuildingadvisor.com/

Rocky Mountain Institute. 2002. "Green Developments." http://www.rmi.org/

7. ACKNOWLEDGMENTS

A team led by the authors developed the database with funding from the U.S. Department of Energy, Office of Building Technology High Performance Buildings initiative. Key partners include Gail Lindsey of Design Harmony, Inc., independent consultant Joel Ann Todd, Michael Knapp and Kathy Johnson of Green River Data Analysis, Christopher Gronbeck of Sustainable by Design; Bill Browning of the Rocky Mountain Institute, and Jonathan Rose of Affordable Housing Development Corporation. The database is available at http://www.highperformancebuildings.gov/case_studies.



Zion Visitor Center




Figure 6. Example Images Screen.



Figure 7. Example Awards Screen




Figure 8. Example Data Entry Screen

REPORT DOCUMEN	Form Approved OMB NO. 0704-0188			
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
AGENCY USE ONLY (Leave blank)	2. REPORT DATE June 2003	3. REPORT TYPE AND DATES COVI Conference Paper		
4. TITLE AND SUBTITLE Creating a Public Web Database about High Performance (Green) Buildings: Preprint 6. AUTHOR(S) D.B. Crawley, P. Torcellini, N. Malin			5. FUNDING NUMBERS BEC3.4005	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) National Renewable Energy Laboratory 1617 Cole Blvd. Golden, CO 80401-3393			8. PERFORMING ORGANIZATION REPORT NUMBER NREL/CP-550-34313	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Preprint of conference paper about the DOE's High Performance Buildings Database to be				
presented at the ASHRAE Conference in Scotland in September 2003.				
14. SUBJECT TERMS High-Performance Buildings; ASHRAE; Scotland; High Performance Buildings Database			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-18 298-102